

Vivitek 3D Glasses

Active Shutter 3D Glasses with DLP® Link™ Technology

Features

- Active shutter 3D glasses for emitter free viewing
- High transmittance and high contrast ratio liquid crystal lenses for fast response times
- Long battery life with up to 24 hours of usage time
- Easily recharge the glasses by connecting them to a computer's USB port
- Unique frame design allows glasses to be worn over prescription glasses
- Only 39grams for a portable and lightweight design
- Optimized for Vivitek projectors with DLP® Link™ technology

Photos



Specifications

Model Number	VG-3D01	
Product Compatibility	Vivitek projectors with DLP® Link™ technology	
Shutter	LCD	
Field Rate	120Hz	
Operation	On/Off	
Refreshing Rate	96/100/120/144Hz	
Working Current	2.8mA	
Power Supply	Rechargeable lithium-polymer battery	
Battery Life	24 hours	
Charging Time	4 hours	
Working Conditions	Working Temperature	0 - 40°C
	Storage Temperature	-5°C - 50°C
Transmittance	38±2%	
Contrast Ratio	1,200:1	
Sync Operation	DLP® Link™	
Usage Range	<10m	
Safety/EMI Regulations	CE, FCC, REACH, RoHS	
Weight	39g (0.085lbs)	
Available Colors	Black	
Accessories	DLP® Link™ active shutter 3D glasses, nosepieces (x3), USB cable, cleaning cloth, storage pouch, documentation kit	

©2014 Vivitek. Vivitek is a trademark of Delta Electronics, Inc.. Other trademarks are the properties of their respective owners. Values, weights and dimensions shown are approximate. Errors and omissions accepted. Specifications are subject to change without prior notice.